Kawasaki

2021 AGRICULTURAL RANGE

UTILITY VEHICLES | ATV | AG MOTORBIKES

MULE TERYX BRUTE FORCE STOCKMAN



Kawasaki

KÀ Œ• • u} o •Z}Áv Á]šZ

MULE PRO-DXT

Kawasaki

FIND OUT MORE ONLINE

Model Colour:Timberline Green | Model Code:< &íìì

THE SERIOUS PEOPLE MOVER

Experience the strength and endless µŒ]o]šÇ }(šZ Dµo WZKr ydX & šµŒ]vP Transforming Cab system, allowing for 3 to ò ‰ •• vP Œ• š} šŒ À o]v }u(}ŒšX š}Á]vP capacity of 907kg combined with steel cargo šZ š v ŒŒÇ ðñïlPX < Á •]] ^dZKE ïrÇ Œ t ŒŒ všÇX

W E , ^ d/E' ^hW dK ò d ^d^ ^sWK/Ed^U Z dZ

ROLL OVER PROTECTION BAR

ELECTRIC POWER STEERING

2 DC POWER OUTLETS ON THE DASH

DIESEL ECONOMY & DURABILITY

ENGINE TYPE	ðr^šŒ}l]vro]v ïr	L X W X H	3,385 x 1,625 x 1,970 mm
DISPLACEMENT	993 cm³	FUEL CAPACITY	30 L
BORE x STROKE	óðXì Æ óóXì uu	TURNING RAD.	ðXô u ~]+ Œ vŸ o µvo}
TRANSMISSION	Dual range (high/low) CVT with reverse îtlðtU•ZLU µorD}	GROUND CLEAR.	260 mm
CURB MASS	871 kg*	dzZ ^&‰	îò Æ õXìiZíî ðWZ
LOAD CAPACITY	717 kg (includes occupants & cargo)	dzZ ^Z‰	îò Æ ííXìiZíî ðWZ

MULE PRO-DX

Kawasaki

FIND OUT MORE ONLINE

Model Colour:Timberline Green | Model Code: < &íìì ì

DIESEL POWER TO THE PEOPLE

The diesel model is designed primarily (} Œ Á } Œ l ‰ ‰ o] Ÿ } v • U Á Z Œ torque diesel engine will deliver excellent ‰ Œ (} Œ u v X d Z W Z K r y (Power Steering, seats up to three adults and] • . © Á] š Z Z K W ^ ‰ ‰ Œ } À

^ d > d ^ ^ ï s W K / E d ^ U Z d Z

907 KG TOWING CAPACITY

ELECTRIC POWER STEERING

ENGINE TRANSMISSION SHIFT LEVER

PARKING BRAKE & DIFF. LOCK CONTROLS

W & Œ u X E , ^ d ^ h W d K ï

ENGINE TYPE	ðr^šŒ}l]vro]v ïr	L X W X H	3,385 x 1,625 x 1,965 mm
DISPLACEMENT	993 cm³	FUEL CAPACITY	30 L
BORE x STROKE	óðXì Æ óóXì uu	TURNING RAD.	ðXô u ~]+ Œ vŸ o µvo}
TRANSMISSION	Dual range (high/low) CVT with reverse îtlðt U •Z LU µ orD}	GROUND CLEAR	265 mm
CURB MASS	840 kg*	dzZ ^&‰	îò Æ õXìì Zíî ðW Z
LOAD CAPACITY	717 kg (includes occupants & cargo)	dzZ ^Z‰	îò Æ ííXìì Zíî ðW Z

MULE PRO-FXT

Kawasaki

FIND OUT MORE ONLINE

Model Colour:Timberline Green | Model Code: < &ôîì

ï KZ ò ^ d/E' W

dZ E^&KZD > ^ d/E' ~ Z'K

PERFORMANCE FOR LEISURE AND W

d >dZ‰ Dµo WZKr&ydX }u]v^Ÿ}v }(>d^ ^ïsWK/Ed^U Z dZ

performance, durability, comfort and convenience make it the industry's most

‰ v o }µš }}Œ ‰ Œšv ŒX dZ WZKr&yd

• š• µ‰ š} ò µoš•X ZKW^ ‰%Œ}À

h > d ^&Œ u (}Œ ‰ }(u]v X

ROLL OVER PROTECTION BAR

ELECTRIC POWER STEERING

2 DC POWER OUTLETS ON THE DASH

POWERFUL INLINE TRIPLE ENGINE

ELECTRICALLY SELECTABLE 2WD/4WD

ENGINE TYPE	ðr^šŒ}l]vro]v ïr	L X W X H	3,385 x 1,625 x 1,970 mm
DISPLACEMENT	812 cm³	FUEL CAPACITY	30 L
BORE x STROKE	óîXì Æ òòXñ uu	TURNING RAD.	ðXô u ~]+ Œ vŸ o µvo}
TRANSMISSION	Dual range (high/low) CVT with reverse îtlðtU •ZLU µorD}	GROUND CLEAR	260 mm
CURB MASS	867 kg*	dzZ ^&‰	îò Æ õXìZíî ðWZ
LOAD CAPACITY	733 kg (includes occupants & cargo)	dzZ ^Z‰	îò Æ ííXìZíî ðWZ

MULE PRO-FX

Kawasaki

FIND OUT MORE ONLINE

Model Colour:Timberline Green | Model Code: < & ô î ì &

MULE STRONG FOR LEISURE AND W

Dh> WZKr&y]• }µŒ u}•š ‰}Á Œ(µd ~ >‰^ ôïsWK/Ed^U Z dZ ‰ šŒ}o Dh> •] Æ •] À ŒX dZ]•]v<µ]‰‰ Á]šZ šZ o ŒP •š ŒP} Á Z]o }+ Œ]vP }u(}Œš o (µoor•]Ì ïr‰ •• vP Œ• ŸvPX

ROLL OVER PROTECTION BAR
ELECTRIC POWER STEERING
ENGINE TRANSMISSION SHIFT LEVER
PARKING BRAKE & DIFF. LOCK CONTROLS

Enjoy the ride!

W E , ^ d^ hW dK ï

ENGINE TYPE	ðr^šŒ}l]vro]v ïr	L X W X H	3,385 x 1,625 x 1,965 mm
DISPLACEMENT	812 cm³	FUEL CAPACITY	30 L
BORE x STROKE	óîXì Æ òòXñ uu	TURNING RAD.	ðXô u ~]+ Œ vŸ o µvo}
TRANSMISSION	Dual range (high/low) CVT with reverse îtlðtU •Z LU µorD}]+ Œ Vv o	GROUND CLEAR	265 mm
CURB MASS	824 kg*	dzZ ^&‰	îò Æ õXìiZíî ðWZ
LOAD CAPACITY	733 kg (includes occupants & cargo)	dzZ ^Z‰	îò Æ ííXìiZíî ðWZ

MULE PRO-MX

SPECIAL EDITION

Kawasaki

FIND OUT MORE ONLINE

Model Colour:Timberline Green | Model Code: < & ó ì ì

DEPENDABLE MIDSIZE OUTDOOR PART

d > dZ‰ Dµo WZKrDy ^‰] o]Ÿ}v }u

.© Á]šZ Œ}}(v š}Á Z]š ZU Æ o•µ]À š}

šZ µ•šŒ o] v u Œl šX dZ ‰ Œ(

Á}Œl }u‰ v]}vX dZ î • š Œ Dµo WZK&Dy

will meet all your daily chores head-on in

h > d ^ }u(}Œš v Á]šZ •šÇo X

PROOF AND TOW HITCH RECEIVER FITTED

K E ^ h ^ W E ^ / K E

L O F U N D E R H O O D S T O R A G E S P A C E

E Z ^ d ^ d K Z '

ï ï ó < ' Z ' K W / d z

ELECTRIC POWER STEERING

ENGINE TYPE	>] < µ] r } } o U ^] v P o	L X W X H	2,795 x 1,525 x 1,925 mm
DISPLACEMENT	695 cm³	FUEL CAPACITY	36 L
BORE x STROKE	í ì î X ì Æ ô ñ X ì u u	TURNING RAD.	ð X î u ~] + Œ v Ÿ o µ v o }
TRANSMISSION	µ š } u Ÿ s d µ o Z v P forward / reverse	GROUND CLEAR	270 mm
CURB MASS	720 kg*	d z Z ^ & ‰	î ñ Æ ô X ì ì Z í î d µ o ••
LOAD CAPACITY	544 kg (includes occupants & cargo)	d z Z ^ Z ‰	î ñ Æ í ì X ì ì Z í î d µ o ••

MULE PRO-MX

CAMO

Kawasaki

FIND OUT MORE ONLINE

Model Colour: u}µG P dŒµ d]u Œ ,d 'Œ v< &Model Code:

THE ULTIMATE OUTDOOR WORKER

The Mule PRO-MX Camo falls neatly between šZ •]Ì • }(šZ ï • š Œ Dµo šZ }u‰ š Dµo ^y Œ vP X / those looking for a mid-sized work horse with carrying capacity and performance to make Z}Œ • Œ Ì X

ROOF FOR PROTECTION FROM THE ELEME
WZK r& y s t v^, KE ^h^W E^/KE
UNDER SEAT AND HOOD STORAGE
ïíó <' Z'K W /dz
òôì <' dKt/E' W /dz
ELECTRIC POWER STEERING

ENGINE TYPE	>]‹µ] r }}o U ^]vPo	L X W X H	2,795 x 1,525 x 1,925 mm
DISPLACEMENT	695 cm³	FUEL CAPACITY	36 L
BORE x STROKE	íìîXì Æ ôñXì uu	TURNING RAD.	ðXî u ~]+ Œ vŸ o µvo}
TRANSMISSION	µš}u Ÿ sd µ o Z vP forward / reverse	GROUND CLEAR	270 mm
CURB MASS	725 kg*	dzZ ^&‰	îñ Æ ôXìiZíî dµ o ••
LOAD CAPACITY	544 kg (includes occupants & cargo)	dzZ ^Z‰	îñ Æ íìXìiZíî dµ o ••

MULE SX 4x4 XC

Kawasaki

SPECIAL EDITION

FIND OUT MORE ONLINE

Model Colour:Timberline Green | Model Code: < &ðìì y

COMPACT AND CAPABLE 4X4

dZ Dh> ^y ðÆð y ^‰] o]Ÿ}v]• µ]•oš tough, has a high level of comfort and all-Œ}µv À Œ• Ÿo]šÇX dZ]• µŒ oÁ}ŒZ}Œ• .š•]v šZ }(o ŒP µŸo]šÇ ÀZ[o X dZ ^‰] o]Ÿ}v]• .© Á]šZ Œ}}(CKVGRP}Á Z]š ZX

- FITTED WITH ROOF AND TOW HITCH
- ADJUSTABLE TILT STEERING
- PADDED BENCH SEAT
- COMPACT SIZE & TIGHT TURNING RADIUS
- LEATHER-LIKE STEERING WHEEL
- AMPLE STORAGE UNDER FRONT HOOD

ENGINE TYPE	Air-cooled, Single Cylinder	L X W X H	2,710 x 1,335 x 1,865 mm
DISPLACEMENT	401 cm³	FUEL CAPACITY	16 L
BORE x STROKE	ôîXì Æ óòXì uu	TURNING RAD.	ïXò u
TRANSMISSION	îr•‰ µš}u Ÿ sdU (}ŒÁ Œ]Œ ÀŒ• ^o š o îtlðtU µoru}	GROUND CLEAR.	190 mm
CURB MASS	491 kg*	dzZ ^&‰	îò Æ õXìì rííî dµ o ••
LOAD CAPACITY	398 kg (includes occupants & cargo)	dzZ ^Z‰	îò Æ õXìì rííî dµ o ••

MULE SX

Kawasaki

FIND OUT MORE ONLINE

Model Colour:Timberline Green | Model Code: < &ðìì:

THE COMPACT MULE

The MULE SX is an easy to drive, side by side that's capable of hard work, especially]v ŸPZš Œ vÀ]Œ}vu vš•X dZ µš}u Ÿ Dµo ^y .š• }v šZ µš X

îtlh>sDK Z Z /&& t/d, / KEd/EhKh^>z s Z/ > dZ E^D/^ TIGHT TURNING RADIUS l }(>o^ŒP ^dKZ ' hE Z &Z ^dZKE' ïsz Z >/D/d t ZZ E HIGH MOUNT AIR INTAKE SYSTEM

ENGINE TYPE	Air-cooled, Single Cylinder	L X W X H	2,710 x 1,335 x 1,780 mm
DISPLACEMENT	401 cm³	FUEL CAPACITY	16 L
BORE x STROKE	ôîXì Æ óòXì uu	TURNING RAD.	ïXï u
TRANSMISSION	µš}u Ÿ sdU (}ŒÁ Œ	GROUND CLEAR.	155 mm
CURB MASS	439 kg*	dzZ ^&‰	îî Æ õXìì r íì dµ o ••
LOAD CAPACITY	415 kg (includes occupants & cargo)	dzZ ^Z‰	îî Æ ííXìì r íì dµ o ••

Teryx KRX 1000 SPECIAL EDITION

Kawasaki

RECREATIONAL UTILITY VEHICLE

INCLUDED ACCESSORIES

RUBBER CENTRE CONSOLE TRA
ROOF
WINDSHIELD
TOW HOOK
WARN WINCH
REAR MIRROR
TAILGATE

FIND OUT MORE ONLINE

Model Colour:Lime Green with Metallic Onyx Black | Model Code:< Z & í ì ì ì

RAISE THE FUN FACTOR

The Teryx KRX 1000 is the all-new master }(šZ µ•Z v Œ} l šŒ]o•X toughness, durability and reliability that d Zzy u} o• Œ Œ v}Á (}ŒX W}Á Œ{µ oU high-torque 999cm³ Parallel Twin engine with sd šŒ v•u]••]}v v všŒ](µP o

í ñ_ s>K < t, >^ t/d, ïí_
FOX 2.5 PODIUM LSC SHOCK
HIGHLY RIGID FRAME WITH INTEGRATED ROP
CVT WITH CENTRIFUGAL CLUTCH
SPECIAL EDITION WITH ACCESSORIES FITT
BUCKET SEATS & LARGE REAR CARRIER SP

ENGINE TYPE	Liquid-cooled Parallel Twin
DISPLACEMENT	999 cm³
BORE x STROKE	õîXì Æ óñXí uu
TRANSMISSION	2-SP & REV, CVT
CURB MASS	860 kg*
LOAD CAPACITY	354 kg (includes occupants & cargo)

L X W X H	3,305 x 1,730 x 1,905 mm
FUEL CAPACITY	40 L
TURNING RAD.	ñXõ u
GROUND CLEAR	365 mm
dzZ ^&‰	D yy/^ Œv]À}Œ ïí Æ íìXìì
dzZ ^Z‰	D yy/^ Œv]À}Œ ïí Æ íìXìì

Kawasaki

RECREATIONAL UTILITY VEHICLE

FIND OUT MORE ONLINE

Model Colour: u}µG P Z oš Œ W ' yoš Œ KRT80 Model Code:

RAISE THE FUN FACTOR X 4

srdÁ]v ‰}Á Œ ~ À Œ• Ÿo]šÇU šZ W d tŒÇÆð]s Œ t/E Ç E'/E
š} š lo šZ š}µPZ •š } •š o •X dZ ð•š Œ LED HEADLIGHTS
d Zzyð .© Á]šZ ‰o •Ÿ Œ}}(U Z]PZ µ š FOX SPORT 3.0 SUSPENSION
• š• v Ÿoš •š Œ]vP (}Œ ROLL OVER PROTECTION
}vÀ v] v X LARGE VOLUME OF STORAGE
^dZKE' ïsz Z >/D/d t ZZ E

ENGINE TYPE	ðr^šŒ}l srdÁ]v W š	L X W X H	3,185 x 1,565 x 2,025 mm
DISPLACEMENT	783 cm³	FUEL CAPACITY	30 L
BORE x STROKE	ôñXì Æ òõXì uu	TURNING RAD.	ñXí u
TRANSMISSION	Dual range CVT with centrifugal clutch, (Œ}vš]+ o} l v Œ À Œ• X Tt ot x	GROUND CLEAR	285 mm
CURB MASS	736 kg*	dzZ ^ & ‰	26 x 9R12 6PR
LOAD CAPACITY	503 kg (includes occupants & cargo)	dzZ ^ Z ‰	26 x 11R12 6PR